



WORKPACK ACCOUNTABILITY FORM

WP Number WO-AOM-2084

WP Date 22.06.2017

Description

14YR Check

Station

/

AC Reg. Mark

40-AOM

PAGE

1

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
1	K062115-00-01 175	<p>WING CENTER SECTION Carry out general visual inspection of wing center section and wing attachment areas internally.</p> <p>NOTE: Forward cargo compartment lining, bag tanks, internal bag tank lining and thross rib diagonals to be removed and MBLS (if fitted).</p>		
2	K062503-00-01 510	<p>LEFT WING Carry out general visual inspection of wing leading edge and tip internally.</p>		
3	K062603-00-01 610	<p>RIGHT WING Carry out general visual inspection of wing leading edge and tip, internally.</p>		
4	K522152-00-01 800	<p>OVERWING EMERGENCY EXITS, INT Carry out general visual inspection of overwing emergency exit doors internal frames, stiffeners and inner skin both sides.</p> <p>NOTE: Overwing emergency exit doors, cover and sound proofing to be removed.</p>		
5	K524352-00-01 100	<p>AVIONICS HATCHES, INT Carry out general visual inspection of FWD and AFT avionics hatches outer skin internal, pan internal, stiffeners, intercostals and forward avionics hatch inner skin.</p> <p>NOTE: Soundproofing to be removed.</p>		
6	K530000-00-02 200	<p>FWD FUSELAGE, INT Carry out general visual inspection of frames, stringers and skin between front pressure bulkhead and STA 3100, above floorlevel.</p> <p>NOTE1: (Ref.: MRB section 03. paragraph 2 .e .) (Ref.: MRB section 03. paragraph 2.I.)</p> <p>THRESHOLD: 60000 FC or 24 YR whichever comes first. INTERVAL: 12 YR</p> <p>NOTE2: Perform this task in flight deck. Interior modules, lining panels and sound proofing to be removed as far as required.</p>		



WORKPACK ACCOUNTABILITY FORM

WP Number WO-AOM-2084

WP Date 22.06.2017

Description

14YR Check

Station

/

AC Reg. Mark

40-AOM

PAGE

2

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
7	K530000-00-03 200	<p>CENTER FUSELAGE, INT Carry out detailed inspection of frames, stringers and skin between STA 3150 and STA 3450, between STR 22 and STR 26 and between STR 49 and STR 53.</p> <p>NOTE1: (Ref.: MRB section 03. paragraph 2 .e .) (Ref.: MRB section 03. paragraph 2.I.)</p> <p>THRESHOLD: 60000 FC or 24 YR whichever comes first. INTERVAL: 12 YR</p> <p>NOTE2: Perform this task in zone 247 and 258. Lining panels and sound proofing to be removed as far as required.</p>		
8	K530000-00-04 200	<p>CENTER FUSELAGE, INT Carry out general visual inspection of frames, stringers and skin between STA 3100 and rear pressure bulkhead, above floorlevel.</p> <p>NOTE1: (Ref.: MRB section 03. paragraph 2 .e .) (Ref.: MRB section 03. paragraph 2.I.)</p> <p>THRESHOLD: 60000 FC or 24 YR whichever comes first. INTERVAL: 12 YR</p> <p>NOTE2: Perform this task in cabin and cabin entrance area. Interiour modules, lining panels and sound proofing to be removed as far as required.</p>		
9	K531009-00-01 200	<p>FWD FUSELAGE, INT Carry out detailed inspection of frames at STA 1890, STA 2220 and STA 2650, all between lower window girders and STR 16/59 (floor level).</p> <p>NOTE: Flight compartment side panels to be removed as far as required.</p>		
10	K531013-00-02 261	<p>FWD FUSELAGE, INT Carry out general visual inspection of forward S/E door opening upper torsion box, front side of frame at STA 3780, front side of frame at STA 3820, between STR 53 up to STR 38, rear side of frame at STA 3870 between upper torsion box and STR 38, front side of frame at STA 4900, all between floor level and STR38.</p> <p>NOTE: Lining panels, soun proofing and interior panels to be removed as far as required.</p>		
11	K531017-00-01 120	<p>FWD FUSELAGE, INT Carry out general visual inspection of rear side of forward pressure bulkhead, including connection angles, below STR 16/59(floor level).</p> <p>NOTE: Sound proofing to be removed as far as required.</p>		
12	K531021-00-01 220	<p>FWD FUSELAGE, INT Carry out general visual inspection of lower part of window post 1 connection beam.</p>		



WORKPACK ACCOUNTABILITY FORM

WP Number WO-AOM-2084

WP Date 22.06.2017

Description

14YR Check

Station

/

AC Reg. Mark

4O-AOM

PAGE

3

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
13	K531022-00-01 120	FWD FUSELAGE, INT Carry out general visual inspection of rear side of NLG bracket at STA 3870. NOTE: Can be combined with task K062107-00-01		
14	K531025-00-01 120	FWD FUSELAGE, INT Carry out general visual inspection of NLG bracket back-up structure at STR 2 and STR 73 between STA 3870 and STA 4850. NOTE: Sound proofing to be removed as far as required.		
15	K531027-00-02 261	FWD FUSELAGE, INT Carry out general visual inspection of -Passenger door opening upper torsion box. -Front side of frame at STA 3820 and rear side of frame at STA 4850, both between floor level and STR 37. -Rear side of frame at STA 3870 and front side of frame at STA 4850, both between STR 31 and STR 37. -Frame at STA 4150 and STA 4610, both between STR 32 and STR 37. -Reinforced stringers between frames at STA 3450 and STA 3820 and between floor level and STR 31. -Reinforced stringers between frames at STA 4850 and STA 5305 and between floor level and STR 31. NOTE: Interior modules, lining panels and sound proofing to be removed as far as required.		
16	K531032-00-01 120	FWD FUSELAGE, INT Carry out detailed inspection of frames at STA 2220 (excl. part in NLG), at STA 3820-3870 and at STA 4850, all below STR 16/59 (floor level). NOTE: Sound proofing to be removed as far as required.		
17	K531452-00-01 120	ACCESS PANELS, INT Carry out general visual inspection of skin internal, panels internal and stiffeners of access hatches for flight controls and equipment cooling compartment. NOTE: Sound proofing to be removed as far as required.		
18	K533008-00-01 280	CENTER FUSELAGE, INT Carry out detailed inspection of main frame at STA 14911 and upper part of main frame at STA 17011 (above STR 19/56). NOTE: Seats, lining panels, ceiling panel, luggage bins and floor panels to be removed as far as required.		



WORKPACK ACCOUNTABILITY FORM

WP Number WO-AOM-2084

WP Date 22.06.2017

Description

14YR Check

Station

/

AC Reg. Mark

4O-AOM

PAGE

4

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
19	K533009-00-02 280	CENTER FUSELAGE Carry out general visual inspection of overwing emergency exits lower side of upper beam box. NOTE: Seats, sound proofing , lining panels and overwing emergency exits to be removed as far as required.		
20	K533012-00-01 100	CENTER FUSELAGE, INT Carry out general visual inspection of aft avionics hatch opening and back-up structure internal, including the skin in an area of 20 inches around opening. NOTE: Lining panels and sond proofing to be removed as far as required.		
21	K534104-00-01 290	REAR FUSELAGE, INT Carry out general visual inspection of front side of partial bulkhead at STA 23586 above STR 16/59(floor level), excluding engine support fitting. NOTE: Cabine panels, interior modules, luggage bins, seats and sound proofing to be removed as far as required.		
22	K534106-00-01 290	REAR FUSELAGE, INT Carry out general visual inspection of front side of rear pressure bulkhead, including connection angles, excluding engine support fittings and thrust struts supporting structure, all above STR 16/59 (floor level). NOTE: Cabine lining, interior modules and sound proofing to be removed as far as required.		
23	K534117-00-01 290	REAR FUSELAGE, INT Carry out general visual inspection inside fuselage of: -Front and rear side of engine support fittings, located on partial bulkhead at STA 23586. -Engine support fittings and thrust strut support structure, located on the front side of rear pressure bulkhead. NOTE: Interior modules, lining panels, seats and sound proofing to be removed as far as required.		
24	K534204-00-03 413	STUBWING, INT Carry out general visual inspection of fuselage skin external between frames at STA 25016 and STA 27204 covered by the stubwing. NOTE: Stubwing trailing edge to be removed.		
25	K534204-00-03 423	STUBWING, INT Carry out general visual inspection of fuselage skin external between frames at STA 25016 and STA27204 covered by the stubwing. NOTE: Stubwing trailing edge to be removed.		



WORKPACK ACCOUNTABILITY FORM

WP Number WO-AOM-2084

WP Date 22.06.2017

Description

14YR Check

Station

/

AC Reg. Mark

4O-AOM

PAGE

5

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
26	K540000-00-01 410	<p>STUBWING, INT Carry out detailed inspection of thrust strut assembly, tubular part.</p> <p>NOTE: (REF.: MRB section 03. paragraph 2.e.) (REF.: MRB section 03. paragraph 2.e.)</p> <p>TRESHOLD: 60000 FC or 24 YR whichever comes first. INTERVAL: 12 YR</p>		
27	K540000-00-01 420	<p>STUBWING, INT Carry out detailed inspection of thrust strut assembly, tubular part.</p> <p>NOTE: (REF.: MRB section 03. paragraph 2.e.) (REF.: MRB section 03. paragraph 2.e.)</p> <p>TRESHOLD: 60000 FC or 24 YR whichever comes first. INTERVAL: 12 YR</p>		
28	K544201-00-01 432	<p>NACELLE, INT Carry out general visual inspection of forward engine mount fitting.</p> <p>NOTE: Do this inspection with the engine supported and fwd top vibration isolator removed.</p>		
29	K544201-00-01 442	<p>NACELLE, INT Carry out general visual inspection of forward engine mount fitting.</p> <p>NOTE: Do this inspection with the engine supported and fwd top vibration isolator removed.</p>		
30	K544202-00-01 432	<p>NACELLE, INT Carry out general visual inspection of aft engine mount fitting.</p> <p>NOTE: Do this inspection with the engine supported and aft top vibration isolator removed.</p>		
31	K544202-00-01 442	<p>NACELLE, INT Carry out general visual inspection of aft engine mount fitting.</p> <p>NOTE: Do this inspection with the engine supported and aft top vibration isolator removed.</p>		
32	K544206-00-01 432	<p>NACELLE, INT Carry out general visual inspection of engine mount stabilizer panel (shear shelf) upper side (to top stiffeners and shear clips) and lower side (all stiffeners and shear clips)..</p>		
33	K544206-00-01 442	<p>NACELLE, INT Carry out general visual inspection of engine mount stabilizer panel (shear shelf) upper side (to top stiffeners and shear clips) and lower side (all stiffeners and shear clips).</p>		



WORKPACK ACCOUNTABILITY FORM

WP Number WO-AOM-2084

WP Date 22.06.2017

Description

14YR Check

Station

/

AC Reg. Mark

4O-AOM

PAGE

6

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
34	K544208-00-01 410	NACELLE, INT Carry out general visual inspection of engine support fittings outside of fuselage at partial bulkhead at STA 23586 and at rear pressure bulkhead and thrust strut bracket outside fuselage at rear pressure bulkhead. NOTE: Can be combined with task K062401-00-02.		
35	K544208-00-01 420	STUBWING, INT Carry out general visual inspection of engine support fittings outside of fuselage at partial bulkhead at STA 23586 and at rear pressure bulkhead and thrust strut bracket outside fuselage at rear pressure bulkhead. NOTE: Can be combined with task K062401-00-02.		
36	K550000-00-01 340	HORIZONTAL STABILISER, EXT Carry out detailed inspection of horizontal stabilizer pivot bolts. NOTE: (REF.: MRB section 03 paragraph 2.e.) (REF.: MRB section 03 paragraph 2.l.) TRESHOLD: 60000 FC or 24 YR whichever comes first. INTERVAL: 12 YR		
37	K551001-00-01 350	HOR. STABILIZER, INT Carry out general visual inspection of horizontal stabilizer front spar (both side), intermediate spars (both side), spars in center section (both side), rear spar (front side) and auxilliary rear spar (front side). NOTE: De-icing air duct from feed-through in front spar near rib 215 to be removed.		
38	K551001-00-01 360	HOR. STABILIZER, INT Carry out general visual inspection of horizontal stabilizer front spar (both side), intermediate spars (both side), spars in center section (both side), rear spar (front side) and auxilliary rear spar (front side). NOTE: De-icing air duct from feed-through in front spar near rib 215 to be removed.		
39	K551002-00-01 350	HOR. STABILIZER, INT Carry out general visual inspection of horizontal stabilizer ribs (both sides).		
40	K551002-00-01 360	HOR. STABILIZER, INT Carry out general visual inspection of horizontal stabilizer ribs (both sides).		
41	K551004-00-01 350	HOR. STABILIZER, INT Carry out general visual inspection of horizontal stabilizer torsion box upper skin internal.		
42	K551004-00-01 360	HOR. STABILIZER, INT Carry out general visual inspection of horizontal stabilizer torsion box upper skin internal.		



WORKPACK ACCOUNTABILITY FORM

WP Number WO-AOM-2084

WP Date 22.06.2017

Description

14YR Check

Station

/

AC Reg. Mark

4O-AOM

PAGE

7

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
43	K551005-00-02 343	HOR. STABILIZER, INT Carry out general visual inspection of horizontal stabilizer center section torsion box upper skin internal and upper skin covered by bullet fairing.		
44	K551007-00-01 350	HOR. STABILIZER, INT Carry out general visual inspection of horizontal stabilizer torsion box lower skin internal.		
45	K551007-00-01 360	HOR. STABILIZER, INT Carry out general visual inspection of horizontal stabilizer torsion box lower skin internal.		
46	K551008-00-02 343	HOR. STABILIZER Carry out general visual inspection of horizontal stabilizer center section torsion box lower skin internal and external and lower skin outboard of rib 215 external, covered by bullet fairing.		
47	K553001-00-03 330	VERTICAL STABILIZER, INT Carry out general visual inspection of vertical stabilizer front spar and intermediate spars 1,2 and 3 both sides. Front side of rear spar (including vertical flange of pivot fitting), and attachments to adjacent structure.		
48	K553002-00-02 330	VERTICAL STABILIZER, INT Carry out general visual inspection of vertical stabilizer ribs 3.1, 3.2 between intermediate spar and rear spar (between intermediate spar 1 and 2 on RH side only) 3.3, 3.4, 3.5, 3.6,3.7, 3.8,3.11 (on LH side only) and 6.0 in torsion box and rib 7.0 outside torsion box (all both sides) and attachments to skin.		
49	K571006-00-01 175	CENTER WING, INTERNAL Carry out general visual inspection of both sides of center wing ribs at WS 1700 LH and RH. NOTE: Cargo compartment lining, fuel cells, lining panels and truss rib diagonals to be removed. If mechanical loading system installed, moving bulkhead panel to be removed.		
50	K571012-00-01 175	CENTER WING, INTERNAL Carry out general visual inspection of center wing front spar end fitting, inside center wing (LH and RH). NOTE: Can be combined with task K062115-00-01 NOTE: Cargo compartment lining, fuel cells, lining panels and trus rib diagonals to be removed. If mechanical loading system installed moving bulkhead panel to be removed.		



WORKPACK ACCOUNTABILITY FORM

WP Number WO-AOM-2084

WP Date 22.06.2017

Description

14YR Check

Station

/

AC Reg. Mark

4O-AOM

PAGE

8

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
51	K571013-00-01 175	CENTER WING, INTERNAL Carry out general visual inspection of center wing rear spar and fitting inside center wing (LH and RH) NOTE: Cargo compartment lining, fuel cells, lining panels and truss rib diagonals to be removed. If mechanical loading system installed moving bulkhead panel to be removed.		
52	K571017-00-01 175	CENTER WING, INTERNAL Carry out general visual inspection of center wing to outerwing attachment internal including upper fitting and lower joint strip. NOTE: Cargo compartment lining, fuel cells, lining panels and truss rib diagonals to be removed. If mechanical loading system installed moving bulkhead panel to be removed.		
53	K572001-00-01 175	OUTER WING, INTERNAL Carry out general visual inspection of outer wing front spar rear side between WS 1700 and WS 1825. NOTE: Cargo compartment lining, fuel cells, lining panels and truss rib diagonals to be removed. If mechanical loading system installed moving bulkhead panel to be removed.		
54	K572003-00-01 527	OUTER WING, INTERNAL Carry out general visual inspection of outer wing front spar rear side between WS 1190 and WS 13550.		
55	K572003-00-01 627	OUTER WING, INTERNAL Carry out general visual inspection of outer wing front spar rear side between WS 1190 and WS 13550.		
56	K572004-00-01 510	OUTER WING, INTERNAL Carry out general visual inspection of outer wing front spar front side between WS 1700 and WS 13550.		
57	K572004-00-01 610	OUTER WING, INTERNAL Carry out general visual inspection of outer wing front spar front side between WS 1700 and WS 13550.		
58	K572005-00-01 175	OUTER WING, INTERNAL Carry out general visual inspection of outer wing rear spar front side between WS 1700 and WS 1825. NOTE: Cargo compartment lining, fuel cells, lining panels and truss rib diagonals to be removed. If mechanical loading system installed moving bulkhead panel to be removed.		
59	K572007-00-01 527	OUTER WING, INTERNAL Carry out general visual inspection of outer wing rear spar front side between WS 11190 and WS 12975 and auxiliary rear spar front side between WS 12975 and WS 13550.		



WORKPACK ACCOUNTABILITY FORM

WP Number WO-AOM-2084

WP Date 22.06.2017

Description

14YR Check

Station

/

AC Reg. Mark

4O-AOM

PAGE

9

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
60	K572007-00-01 627	OUTER WING INTERNAL Carry out general visual inspection of outer wing rear spar front side between WS 11190 and WS 12975 and auxilliary rear spar front side between WS 12975 and WS 13550.		
61	K572010-00-01 175	OUTER WING, INTERNAL Carry out general visual inspection of outer wing end rib at WS 1825 inboard side. NOTE: Cargo compartment lining, fuel cells, lining panels and truss rib diagonals to be removed. If mechanical loading system installed moving bulkhead panel to be removed . Note: FOR A/C S/N up to 11442: FUEL CELLS TO BE REMOVED.		
62	K572014-00-01 500	OUTER WING, INTERNAL Carry out general visual inspection of outer wing rib at WS 1190 (outboard side only) and ribs at WS 11794, WS 12375, WS 12975 and WS 13550 (both sides).		
63	K572014-00-01 600	OUTER WING,INTERNAL Carry out general visual inspection of outer wing rib at WS 1190 (outboard side only) and ribs at WS 11794, WS 12375, WS 12975 and WS 13550 (both sides).		
64	K572017-00-01 527	OUTER WING,INTERNAL Carry out general visual inspection of outer wing torsion box upper skin internal including stringers between front spar and rear spar/auxilliary rear spar between WS 11190 and 13550.		
65	K572017-00-01 627	OUTER WING, INTERNAL Carry out general visual inspection of outer wing torsion box upper skin internal including stringers between front spar and rear spar/auxilliary rear spar between WS 11190 and WS 13550.		
66	K572019-00-01 520	OUTER WING, INTERNAL Carry out general visual inspection of outer wing torsion box lower skin internal including stringers between front spar and rear spar between WS 1825 and WS 11190, excluding fuel tank access rebates.		
67	K572019-00-01 620	OUTER WING, INTERNAL Carry out general visual inspection of outer wing torsion box lower skin internal including stringers between front spar and rear spar between WS 1825 and WS 11190, excluding fuel tank access rebates.		
68	K572020-00-01 527	OUTER WING, INTERNAL Carry out general visual inspection of outer wing torsion box lower skin internal including stringers and access panel rebates, between front spar and rear spar/auxillary rear spar between WS 11190 and WS 13550.		



WORKPACK ACCOUNTABILITY FORM

WP Number WO-AOM-2084

WP Date 22.06.2017

Description

14YR Check

Station

/

AC Reg. Mark

4O-AOM

PAGE

10

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
69	K572020-00-01 627	OUTER WING, INTERNAL Carry out general visual inspection of outer wing torsion box lower skin internal including stringers and access panel rebates between front spar and rear spar/auxillary rear spar between WS 11190 and WS 13550.		
70	K572021-00-01 510	OUTEW WING, INTERNAL Carry out general visual inspection of outer wing auxillary front spar (rear side only) between WS 1825 and WS 10110.		
71	K572021-00-01 610	OUTER WING, INTERNAL Carry out general visual inspection of outer wing auxillary front spar (rear side only) between WS 1825 and WS 10110.		
72	K572023-00-01 510	OUTER WING, INTERNAL Carry out general visual inspection of outer wing fixed box ribs between auxillary front spar and front spar between WS 1825 and WS 10110.		
73	K572023-00-01 610	OUTER WING, INTERNAL Carry out general visual inspection of outer wing fixed box ribs between auxillary front spar and front spar between WS 1825 and WS 10110.		
74	K572024-00-01 510	OUTER WING, INTERNAL Carry out general visual inspection of outer wing upper skin including stringers between auxillary front spar and front spar between WS 1825 and WS 10110.		
75	K572024-00-01 610	OUTER WING, INTERNAL Carry out general visual inspection of outer wing upper skin including stringers between auxillary front spar and front spar between WS 1825 and WS 10110.		
76	K572025-00-01 510	OUTER WING, INTERNAL Carry out general visual inspection of outer wing lower skin internal including stringers between auxillary front spar and front spar between WS 1825 and WS 10110.		
77	K572025-00-01 610	OUTER WING, INTERNAL Carry out general visual inspection of outer wing lower skin internal including stringers between auxillary front spar and front spar between WS 1825 and WS 10110.		
78	K572028-00-01 532	OUTER WING, INTERNAL Carry out general visual inspection of outer wing auxillary torsion box internal including: -Rear side of MLG brackets -False spar front side between WS 2635 and WS 3636 -Both sides of aux. torsion box rear spar between WS 2635 and WS 3100. -Rear side of rear spar between WS 2635 and WS 3100.		



WORKPACK ACCOUNTABILITY FORM

WP Number WO-AOM-2084

WP Date 22.06.2017

Description

14YR Check

Station

/

AC Reg. Mark

4O-AOM

PAGE

11

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
79	K572028-00-01 632	OUTER WING, INTERNAL Carry out general visual inspection of outer wing auxillary torsion box internal including: -Rear side of MLG brackets -False spar front side between WS 2635 and WS 3636 -Both sides of aux. torsion box rear spar between WS 2635 and WS 3100. -Rear side of rear spar between WS 2635 and WS 3100.		