



## WORKPACK ACCOUNTABILITY FORM

*WP Number* WO-AOM-2278

*WP Date* 05.04.2018

*Description*

C1 Check

*Station*

/

*AC Reg. Mark*

40-AOM

*PAGE*

1

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
1	K062102-00-01 100	<p>LOWER PART OF FUSELAGE EXTERNAL Carry out general visual inspection of lower part of fuselage, externally.</p> <p>NOTE: INCLUDING EXTERNAL SIDE OF LG DOORS. CAN BE COMBINED WITH TASK 062801-00-01.</p>		
2	K062104-00-01 126	<p>NOSE LANDING GEAR BAY Carry out general visual inspection of nose landing gear bay doors. Perform this task in zones 126 and 710</p> <p>NOTE: NLG doors to be opened. Combined with task K062702-00-01</p>		
3	K062107-00-01 120	<p>AREAS UNDER COCKPIT FLOOR Carry out general visual inspection of equipment cooling compartments, internally. (EZAP)</p> <p>NOTE: Hatches to be removed.</p> <p>NOTE: Can be combined with task No. 202107-00-01 127.</p>		
4	K062111-00-01 180	<p>KEEL/CENTER SECTION Carry out general visual inspection of wheel bays, strut bays, landing gear doors and hydraulic tunnel, internally. (EZAP)</p> <p>NOTE: MLG doors to be opened NOTE: Can be combined with tasks K062508-00-01, K062608-00-01, K062701-00-01 NOTE: Perform this task also in zones 531, 631, 720 and 730</p>		
5	K062201-00-01 200	<p>FLIGHT COMPARTMENT EXTERNAL Carry out general visual inspection of upper part of fuselage.</p>		
6	K062301-00-01 300	<p>REAR FUSELAGE EXTERNAL Carry out general visual inspection of rear fuselage, externally.</p>		
7	K062305-00-01 310	<p>APU COMPARTMENT Carry out general visual inspection of areas aft of rear pressure bulkhead. internally.</p>		
8	K062401-00-02 410	<p>STUBWING Carry out general visual inspection of LH stubwing, internally.</p>		
9	K062401-00-02 420	<p>STUBWING Carry out general visual inspection of RH stubwing, internally.</p>		



## WORKPACK ACCOUNTABILITY FORM

*WP Number* WO-AOM-2278

*WP Date* 05.04.2018

*Description*

C1 Check

*Station*

/

*AC Reg. Mark*

40-AOM

*PAGE*

2

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
10	K062404-00-01 433	NACELLE EXTERNAL Carry out general visual inspection of LH thrust reverser section, externally.  NOTE: Thrust reverser doors to be opened and secured with ground lock.		
11	K062404-00-01 443	NACELLE EXTERNAL Carry out general visual inspection of RH thrust reverser section, externally.  NOTE: Thrust reverser doors to be opened and secured with ground lock.		
12	K062404-00-02 433	NACELLE Carry out general visual inspection of LH thrust reverser section, internally.  NOTE: Thrust reverser doors to be opened and secured with ground lock.		
13	K062404-00-02 443	NACELLE Carry out general visual inspection of RH thrust reverser section, internally.  NOTE: Thrust reverser doors to be opened and secured with ground lock.		
14	K062502-00-01 500	LEFT WING EXTERNAL Carry out general visual inspection of wing lower part, flaps and leading edges, externally,  NOTE: Extend flaps, deflect aileron and aileron tab.		
15	K062506-00-01 540	LEFT WING Carry out general visual inspection of inner and outer flap, internally,  NOTE: Extend flaps.		
16	K062507-00-01 560	LEFT WING Carry out general visual inspection of aileron, internally,  NOTE: Deflect aileron tab.		
17	K062508-00-01 531	LEFT WING Carry out general visual inspection of LH MLG Wheel Bay and Strut Bay, internally.  NOTE: Can be combined with task K062111-00-01 NOTE: MLG doors to be opened.		
18	K062602-00-01 600	RIGHT WING EXTERNAL Carry out general visual inspection of wing lower part, flaps and leading edges, externally.  NOTE: Extend flaps, deflect aileron and aileron tab.		



## WORKPACK ACCOUNTABILITY FORM

*WP Number* WO-AOM-2278

*WP Date* 05.04.2018

*Description*

C1 Check

*Station*

/

*AC Reg. Mark*

40-AOM

*PAGE*

3

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
19	K062606-00-01 640	RIGHT WING Carry out general visual inspection of inner and outer flap, internally.  NOTE: Flaps extended.		
20	K062607-00-01 660	RIGHT WING Carry out general visual inspection of aileron, internally.  NOTE: Deflect aileron tab.		
21	K062608-00-01 631	RIGHT WING Carry out general visual inspection of RH MLG strut bay and wheel bay, internally.  NOTE: Can be combined with task 062111-00-01 NOTE: MLG doors to be opened.		
22	K062702-00-01 710	NLG BAY Carry out general visual inspection of NLG and NLG doors  NOTE: Can be combined with task K062104-00-01		
23	K062801-00-01 800	DOORS, EXTERNAL Carry out general visual inspection of main entrance door, emergency exits, service/emergency doors, and cargo doors, externally.  NOTE: Open doors including overwing emergency exits, also inspect door openings including the aperture of the overwing emergency exits. Can be combined with task 062102-00-01.		
24	K202701-00-01 720	GENERAL VISUAL INSPECTION OF EWIS ON THE RH MLG Carry out General Visual Inspection of EWIS on the RH Main Landing Gear (EZAP).  NOTE : IAW MRB SECTION 02, PARAGRAPH 3.a., this task is scheduled to be first performed at the first convenient opportunity, latest 5000 FH after task MRB incorporation which is 01.12.2010.  INTERVAL: 5000 FH		
25	K202701-00-01 730	GENERAL VISUAL INSPECTION OF EWIS ON THE LH MLG Carry out General Visual Inspection of EWIS on the LH Main landing Gears (EZAP). NOTE : IAW MRB SECTION 02, PARAGRAPH 3.a., this task is scheduled to be first performed at the first convenient opportunity, latest 5000 FH after task MRB incorporation which is 01.12.2010.  INTERVAL: 5000 FH		



## WORKPACK ACCOUNTABILITY FORM

*WP Number* WO-AOM-2278

*WP Date* 05.04.2018

*Description*

C1 Check

*Station*

/

*AC Reg. Mark*

40-AOM

*PAGE*

4

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
26	K212300-00-01 200	AIR CONDITIONING Operational check of recirculation fans.		
27	K212300-00-03 200	AIR CONDITIONING Discard recirculation air filters. NOTE: Perform this task in zone 260, 280 and 290		
28	K212600-00-04 253	EQUIPMENT COOLING Perform operational check of blow and suction flow sensors.		
29	K213000-00-01 165	AIR CONDITIONING Clean primary and secondary outflow valves.  NOTE: Forward cargo door to be opened. Cargo compartment lining to be removed as far as required.		
30	K213000-00-07 254	PRESSURAZIOTION CONTROL Perform operational check of cabin altitude warning.		
31	K221100-00-02 180	AUTOPILOT Carry out detailed inspection of (autopilot) aileron, elevator and rudder servo mounts for loose rods, loose levers and loose mounts.  NOTE: MLG doors to be opened, protection cap of aileron servo to be removed.		
32	K221100-00-02 330	AUTOPILOT Carry out detailed inspection of (autopilot) aileron, elevator and rudder servo mounts for loose rods, loose levers and loose mounts.  NOTE: MLG doors to be opened, protection cap of aileron servo to be removed.		
33	K221100-00-02 340	AUTOPILOT Carry out detailed inspection of (autopilot) aileron, elevator and rudder servo mounts for loose rods, loose levers and loose mounts.  NOTE: MLG doors to be opened, protection cap of aileron servo to be removed.		
34	K222100-00-01 339	AUTO PILOT Detailed inspection of auto pilot stabilizer trim servo mount for loose mounts.		
35	K222100-00-03 335	AUTO PILOT Carry out lubrication of yaw dampers hinge points.		
36	K243000-00-02 213	DC BUS TRANSFER Perform operational check of DC bus transfer.		
37	K251101-00-03 230	CAPTAINS AND FIRST OFFICER SEAT Perform operational check of inertia reel of captain and first officer seat harness.		



## WORKPACK ACCOUNTABILITY FORM

*WP Number* WO-AOM-2278

*WP Date* 05.04.2018

*Description*

C1 Check

*Station*

/

*AC Reg. Mark*

40-AOM

*PAGE*

5

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
38	K251101-00-04 230	CAPTAINS AND FIRST OFFICER SEAT Carry out a General Visual Inspection of lap belt and shoulder harness of captain and first officer seat.		
39	K251104-00-02 251	OBSERVER SEAT Carry out General Visual Inspection of observer seat harness.		
40	K251104-00-03 251	OBSERVER SEAT Perform operational check of observer seat rotary buckle.		
41	K252101-00-03 200	PASSENGER SEATS Carry out General Visual Inspection of passenger seat belts.		
42	K252103-00-02 200	ATTENDANT SEAT Carry out General Visual inspection of flight attendants seat harness.		
43	K252103-00-03 200	ATTENDANT SEAT Perform operational check of inertia reel of flight attendant seat.		
44	K253110-00-01 200	GALLEYS Carry out detailed inspection of galley equipment restraints.  NOTE: Surrounding ceiling panels to be removed as far as required.		
45	K261100-00-02 253	ENGINE FIRE DETECTION Perform operational check of loop fault warning system.		
46	K261200-00-02 253	APU FIRE DETECTION Perform operational check of loop fault warning system.		
47	K262200-00-04 213	APU FIRE EXTINGUISHING Perform operational check of APU fire extinguishing system.		
48	K270001-00-07 181	FLIGHT CONTROL CABLES Carry out detailed inspection of aileron cable pulleys at ws 1700.  NOTE: Can be combined with task K270001-00-02 and K270001-00-05.		
49	K270100-00-01 200	TAKE OFF WARNING Perform operational check of teke off warning system.		
50	K271100-00-02 187	AILERON QUADRANT Carry out lubrication of shaft assembly of aileron quadrant in tunnel between the wheel bays. NOTE: MLG doors to be opened.		



## WORKPACK ACCOUNTABILITY FORM

*WP Number* WO-AOM-2278

*WP Date* 05.04.2018

*Description*

C1 Check

*Station*

/

*AC Reg. Mark*

40-AOM

*PAGE*

6

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
51	K271100-00-03 187	CABLE TENSION REGULATOR Carry out lubrication of aileron cable tension regulator cross head wipers.  NOTE: MLG doors to be opened.		
52	K271100-00-08 230	AILERON MECHANICAL CONTROL Perform operational check of aileron tab drag system and anti-up float system.  NOTE: Pay particular attention to correct routing of aileron flexible hoses ensuring that they do not foul the access panels when closed.		
53	K271100-00-14 180	AILERON OVERRIDE UNITS Carry out General Visual Inspection of aileron override units.		
54	K271100-00-18 500	AILERON FLUTTER DAMPER Carry out General Visual inspection of aileron flutter dampers and operating mechanism.  NOTE: Can be combined with task K062507-00-01, K062607-00-01		
55	K271100-00-18 600	AILERON FLUTTER DAMPER Carry out General Visual inspection of aileron flutter dampers and operating mechanism.  NOTE: Can be combined with task K062507-00-01, K062607-00-01		
56	K271100-00-19 187	AILERON SYSTEM Perform functional check of aileron cable tension regulator.  NOTE: MLG doors to be opened.		
57	K271100-00-20 536	AILERON SYSTEM Perform Detailed Inspection of clearance between the hydraulic lines of the actuator and the tab drive rod.		
58	K271100-00-20 636	AILERON SYSTEM Perform Detailed Inspection of clearance between the hydraulic lines of the actuator and the tab drive rod.		
59	K271400-00-01 187	AILERON TRIM CONTROL Carry out lubrication of aileron trim screw actuator, drive chain, chain tensioner and link rod.  NOTE: MLG doors to be opened.		
60	K272100-00-01 330	RUDDER SYSTEM Carry out lubrication of rudder post assembly and pillar assembly.		
61	K272400-00-01 330	RUDDER TRIM CONTROL Carry out lubrication of rudder trim screw actuator and drive rod.		



## WORKPACK ACCOUNTABILITY FORM

*WP Number* WO-AOM-2278

*WP Date* 05.04.2018

*Description*

C1 Check

*Station*

/

*AC Reg. Mark*

4O-AOM

*PAGE*

7

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
62	K273100-00-01 346	ELEVATOR SYSTEM Carry out lubrication of elevator cable tension regulator.		
63	K273100-00-02 346	ELEVATOR SYSTEM Perform functional check of elevator cable tension regulator.		
64	K273100-00-03 340	ELEVATOR SYSTEM Carry out lubrication of elevator push pull rods.		
65	K273100-00-05 300	ELEVATOR SYSTEM Carry out lubrication of elevator hinge bearings.		
66	K273100-00-09 300	ELEVATOR SYSTEM Carry out General Visual inspection of elevator hinge bearings.		
67	K273500-00-02 257	STALL WARNING Perform functional check of stall warning system.		
68	K274100-00-07 235	HORIZONTAL STABILIZER SYSTEM Functional check of the friction of horizontal stabilizer mechanical control.  NOTE: Pedestal covers to be removed		
69	K274200-00-02 335	HORIZONTAL STABILIZER SYSTEM Carry out General Visual Inspection of oil level stabilizer actuator gearbox.		
70	K274300-00-03 236	HORIZONTAL STABILIZER JAM SWITCH Perform operational check of jam switch.		
71	K274400-00-01 236	HORIZONTAL STABILIZER ALTERNATE CONTROL Perform operational check of alternate control.		
72	K274500-00-02 236	HORIZONTAL STABILIZER POSITION TRANSMITTER Perform operational check of horizontal stabilizer position transmitter.		
73	K275100-00-01 187	FLAP MECHANICAL CONTROL Carry out Detailed Inspection of oil level flap feedback assembly.  NOTE: LH MLG door to be opened.		
74	K275300-00-01 180	FLAP MECHANICAL DRIVE Carry out Detailed Inspection of oil level main and right angle gearbox.  NOTE: MLG doors to be opened.		



## WORKPACK ACCOUNTABILITY FORM

*WP Number* WO-AOM-2278

*WP Date* 05.04.2018

*Description*

C1 Check

*Station*

/

*AC Reg. Mark*

4O-AOM

*PAGE*

8

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
75	K275300-00-03 180	FLAP MECHANICAL DRIVE Carry out lubrication of drive shaft support bearings.  NOTE: MLG doors to be opened.		
76	K275300-00-03 530	FLAP MECHANICAL DRIVE Carry out lubrication of drive shaft support bearings..		
77	K275300-00-03 630	FLAP MECHANICAL DRIVE Carry out lubrication of drive shaft support bearings.		
78	K275300-00-10 530	FLAP MECHANICAL ACTUATORS Carry out Detailed Inspection of oil level flap actuator gearboxes.  NOTE: LH MLG door to be opened.		
79	K275300-00-10 630	FLAP MECHANICAL ACTUATOR Carry out Detailed Inspection of oil level flap actuator gearboxes.  NOTE: RH MLG door to be opened.		
80	K275400-00-01 190	ALTERNATE FLAP CONTROL Perform operational check of flap alternate control.		
81	K276100-00-01 326	SPEED BRAKE CONTROL Carry out lubrication of speed brake actuator output mechanism bearings.  NOTE: Speed brake to be opened and secured with ground lock.		
82	K276100-00-02 236	SPEED BRAKE CONTROL Perform operational check of speed brake autoretraction system.		
83	K276100-00-03 326	SPEED BRAKE CONTROL Carry out General Visual Inspection of output mechanism and speed brake actuator.  NOTE: Speed brake to be opened and secured with ground lock.		
84	K276400-00-04 177	LIFTDUMPERS HYDRAULIC CONTROL Drain fluid from accumulators on gas side.		
85	K276500-00-01 236	LIFTDUMPER WARNING AND INDICATION Perform operational check of the lift-dumper warning.		
86	K277100-00-03 346	FLIGHT CONTROL LOCK Carry out lubrication of elevator control lock.		
87	K277100-00-07 346	FLIGHT CONTROL LOCK Detailed inspection of elevator control lock.		





## WORKPACK ACCOUNTABILITY FORM

*WP Number* WO-AOM-2278

*WP Date* 05.04.2018

*Description*

C1 Check

*Station*

/

*AC Reg. Mark*

40-AOM

*PAGE*

9

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
88	K291100-00-02 177	HYDRAULIC POWER Drain fluid from accumulators (gas side) from hydraulic systems I and II.		
89	K291300-00-11 320	HYDRAULIC POWER General Visual inspection of hydraulic tubing, couplings and components in tail section, behind rear bulkhead.		
90	K293100-00-01 314	HYDRAULIC POWER Perform functional (comparison) check of reservoir sight glass/hydraulic ground servis panel indicator.		
91	K301100-00-05 176	WING ANTI-ICING Carry out restoration of wing modulating and shut off valve filter.		
92	K301200-00-06 312	TAIL ANTI-ICING Perform restoration of tail modulating and shut off valve filter.		
93	K302000-00-02 432	ENGINE AIR INTAKE Carry out General Visual inspection of ducts, insulation blankets and couplings.  NOTE: Can be combined whit task K062403-00-01		
94	K302000-00-02 442	ENGINE AIR INTAKE Carry out General Visual inspection of ducts, insulation blankets and couplings.  NOTE: Can be combined whit task K062403-00-01		
95	K302000-00-03 431	ENGINE AIR INTAKE Carry out General Visual inspection of air intake nose cowl for discolouring.		
96	K302000-00-03 441	ENGINE AIR INTAKE Carry out General Visual Inspection of air intake nose cowl for discolouring.		
97	K304100-01-02 254	WINDSHIELD ANTI-ICING Perform operational check of the fault monitor system.		
98	K315100-00-02 225	FLIGHT WARNING SYSTEM Perform operational check of stand by annunciator panel.		
99	K320001-00-02 100	LANDING GEAR Carry out detailed inspection of LG control cables in MLG and NLG wheel bays and in the tunnel between the wheel bays.  NOTE: MLG doors to be opened.		



## WORKPACK ACCOUNTABILITY FORM

*WP Number* WO-AOM-2278

*WP Date* 05.04.2018

*Description*

C1 Check

*Station*

/

*AC Reg. Mark*

40-AOM

*PAGE*

10

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
100	K320001-00-05 100	<p>LANDING GEAR Carry out General Visual Inspection of pulleys, fireleads, pressure seals and brackets of LG control cable system in MLG and NLG wheel bays and in the tunnel between the wheel bays (out side pressure cabin).</p> <p>NOTE: MLG doors to be opened. Can be combined with task No.K062104-00-01 and K062111-00-01.</p>		
101	K321100-00-03 721	<p>MLG Carry out detailed inspection of MLG.</p> <p>NOTE: MLG doors to be opened.</p>		
102	K321100-00-03 731	<p>MLG Carry out detailed inspection of MLG.</p> <p>NOTE: MLG doors to be opened.</p>		
103	K321100-00-08 721	<p>MLG Carry out Functional check of torque link upper and lower hinge points</p>		
104	K321100-00-08 731	<p>MLG Carry out Functional check of torque link upper and lower hinge points.</p>		
105	K322100-00-03 711	<p>NOSE LANDING GEAR Carry out detailed inspection of NLG.</p>		
106	K322201-00-02 126	<p>NOSE LANDING GEAR Detailed inspection of nose landing gear doors operating mechanism, including hinges.</p>		
107	K322201-00-02 710	<p>NOSE LANDING GEAR Detailed inspection of nose landing gear doors operating mechanism, including hinges.</p>		
108	K323200-00-01 531	<p>LANDING GEAR HYDRAULIC CONTROL Lubrication of extension and retraction hydraulic control components.</p> <p>NOTE: LH MLG door to be opened.</p>		
109	K323200-00-01 631	<p>LANDING GEAR HYDRAULIC CONTROL Lubrication of extension and retraction hydraulic control components.</p> <p>NOTE: RH MLG door to be opened.</p>		
110	K323200-00-01 711	<p>LANDING GEAR HYDRAULIC CONTROL Lubrication of extension and retraction hydraulic control components.</p>		
111	K323200-00-04 126	<p>NOSE LANDING GEAR Carry out Functional check of down lock plunger mechanism</p>		



## WORKPACK ACCOUNTABILITY FORM

*WP Number* WO-AOM-2278

*WP Date* 05.04.2018

*Description*

C1 Check

*Station*

/

*AC Reg. Mark*

40-AOM

*PAGE*

11

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
112	K323300-00-04 187	MLG Carry out General Visual inspection of dump valve operating mechanism.  NOTE: RH MLG door to be opened. Can be combined with task K062111-00-01		
113	K324300-00-04 180	MLG BRAKE MECHANICAL CONTROL Carry out General Visual inspection of brake control valve operating mechanism outside pressure cabin.  NOTE: Can be combined with task K062111-11-01.		
114	K324400-00-01 200	MLG BRAKE HYDRAULIC CONTROL Perform operational check of automatic change over valve.		
115	K324400-00-03 177	MLG BRAKE HYDRAULIC CONTROL Drain alternate brake accumulator (gas side).		
116	K325100-00-01 126	NLG STEERING MECHANISM Carry out lubrication of nose wheel steering control unit.		
117	K325100-00-05 121	N L G STEERING MECHANISM Functional check of nose wheel steering mechanical control.		
118	K325200-00-01 711	NOSE LANDING GEAR STEERING MECHANISM TOP UP OIL OF STEERING MOTOR		
119	K325200-00-02 200	NLG STEERING HYDRAULIC CONTROL Perform operational check of nose wheel steering on/off circuit.		
120	K341100-02-04 100	PITOT STATIC SYSTEM Perform leak check of pitot static system.  NOTE: This task is applicable for RVSM complied aircraft.  NOTE: Task interval changed into 730 dy, iaw CAA MNE Safety Order, SO-2013-009, Rev. 00, dated 05.11.2013.		
121	K344300-01-01 213	ENHANCED GROUND PROXIMITY WARNING SYSTEM Carry out operational check of enhanced ground proximity system (EGPWS).  NOTE: (REF.: MRB section 01. paragraph 4.f)		
122	K360000-00-01 412	PNEUMATICS Carry out Functional check of low pressure check valve.		
123	K360000-00-01 422	PNEUMATIC Carry out Functional check of low pressure check valve.		



## WORKPACK ACCOUNTABILITY FORM

*WP Number* WO-AOM-2278

*WP Date* 05.04.2018

*Description*

C1 Check

*Station*

/

*AC Reg. Mark*

4O-AOM

*PAGE*

12

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
124	K360000-00-03 412	PNEUMATICS Carry out Functional check of high pressure check valve		
125	K360000-00-03 422	PNUMATICS Carry out Functional check of high pressure check valve		
126	K360000-00-05 312	PNEUMATICS Perform functional check of overpressure shut off valves.		
127	K360000-00-06 412	PNEUMATICS Perform functional check of shut off and temperature modulating valve.		
128	K360000-00-06 422	PNEUMATICS Perform functional check of shut off and temperature modulating valve.		
129	K360000-00-07 310	PNEUMATIC THERMOSTAT Perform functional check of pneumatic thermostat (off aircraft).		
130	K360000-00-07 310	PNEUMATIC THERMOSTAT Perform functional check of pneumatic thermostat (off aircraft).		
131	K360000-00-08 178	PNEUMATICS Perform operational check of duct leak pressure switches.		
132	K491000-00-01 310	APU ENGINE DRAINS Carry out Functional check of inlet plenum drain line, turbine plenum drain line including orifice and exhaust drain line for blockage.		
133	K495200-00-01 313	APU VENTILATION SYSTEM Carry out Detailed Inspection of ventilation shut-off valve.		
134	K498000-00-02 315	APU EXHAUST Carry out detailed inspection of APU exhaust sillencer and ducting.		
135	K521202-00-02 811	PAX DOOR OPERATING MECHANISM Carry out lubrication of pax door drive shaft bushings, outboard handle mechanism and C latch bushings.  NOTE: Door cover to be removed.		
136	K521202-00-05 811	PAX DOOR OPERATING MECHANISM Perform operational check of pax door parking hook mechanism.		



## WORKPACK ACCOUNTABILITY FORM

*WP Number* WO-AOM-2278

*WP Date* 05.04.2018

*Description*

C1 Check

*Station*

/

*AC Reg. Mark*

4O-AOM

*PAGE*

13

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
137	K522102-00-02 800	EMERGENCY EXIT LOCKING MECHANISM Perform operational check of overwing emergency exits latching and locking mechanism.		
138	K523300-00-05 820	LARGE CARGO DOORS Carry out General Visual inspection of large cargo doors latch fittings and hook latches.  NOTE: Task not applicable to centre cargo door (MBLS fitted).		
139	K524102-00-02 821	FORWARD S/E DOOR LOCKING MECHANISM Carry out lubrication of FWD S/E door hinge drive shaft bushings and spherical bearings, outboard handle mechanism and C latch bushings.  NOTE: Fwd S/E door to be opened. Cover on door handle to be removed.		
140	K524154-00-01 821	FWD S/E DOOR, EXT Carry out General Visual inspection of the external parts of hinge spigots and recesses of the FWD S/E door.  NOTE: Can be combined with task K062801-00-01		
141	K524155-00-01 821	FWD S/E DOOR, EXT Carry out General Visual inspection of external part of FWD S/E door upper spigot.		
142	K524301-00-01 120	AVIONICS BAY HATCHES Carry out General Visual inspection of avionics bay hatch(s) seals.  NOTE: Perform this task in zone 120 (hatch 127AB) and (if applicable) in zone 130 (hatch 143AB).		
143	K524302-00-03 120	AFT AVIONICS BAY HATCH Carry out General Visual inspection of aft avionics bay hatch latching pins / latch brackets.  NOTE: Perform this task in zone 120 (hatch 127AB) and (if applicable) in zone 130 (hatch 143AB).		
144	K527100-00-01 120	DOOR LOCK WARNING Operational check of door lock warning system.  NOTE: Perform this task in zones 121/122 (hatch 121AB), 123 (hatch 123BL), 124 (hatch 124BR) and 225 for post SB F100-31-022.  NOTE: Perform this task in zone 120 (hatch 127AB) and (if applicable) in zone 130 (hatch 143AB) and 225 for all.		
145	K527100-00-01 800	DOOR LOCK WARNING Perform operational check of door lock warning system of FWD S/E door, pax door and cargo doors.		



## WORKPACK ACCOUNTABILITY FORM

*WP Number* WO-AOM-2278

*WP Date* 05.04.2018

*Description*

C1 Check

*Station*

/

*AC Reg. Mark*

40-AOM

*PAGE*

14

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
146	K531029-00-01 261	FWD FUSELAGE, INT Carry out General Visual inspection of passenger door opening hinge brackets and hinge bolts on frame at STA 3870.  NOTE: Passenger door to be opened.		
147	K531404-00-01 120	FUSELAGE Carry out General Visual inspection of seals of access hatches for flight controls and of hatches of equipment cooling compartments.		
148	K531405-00-04 120	FUSELAGE Carry out General Visual inspection of latching pin / latch brackets of light controls and equipment cooling compartments access hatches.		
149	K533025-00-01 187	CENTER FUSELAGE, INT Carry out General Visual inspection of front side of pressure bulkhead at STA 18451		
150	K534301-00-02 320	SPEEDBRAKES Carry out General Visual inspection of the external side of the outboard skin panels of the speedbrakes.  NOTE: Particular attention to be paid to the area around the lightning holes for cracking.		
151	K554002-00-03 338	RUDDER Carry out lubrication of upper hinge link pivot.		
152	K561000-00-01 210	FLIGHT COMPARTMENT WINDOWS Carry out lubrication of sliding windows locking mechanism hinge points.		
153	K562000-00-01 200	PAX COMPARTMENT WINDOWS Carry out s General Visual inspection of pax compartment windows (including observation windows).		
154	K572015-00-03 531	OUTER WING, EXT Carry out general visual inspection of fasteners through MLB bracket and upper skin panel.  THRESHOLD: 25000 FC INTERVAL: 5000 FC		
155	K572015-00-03 631	OUTER WING, EXT Carry out general visual inspection of fasteners through MLB bracket and upper skin panel.  THRESHOLD: 25000 FC INTERVAL: 5000 FC		



## WORKPACK ACCOUNTABILITY FORM

*WP Number* WO-AOM-2278

*WP Date* 05.04.2018

*Description*

C1 Check

*Station*

/

*AC Reg. Mark*

4O-AOM

*PAGE*

15

SEQ	Task Card / EO	Task Card / EO Description	Certify	NOTE
156	K572018-00-09 531	OUTER WING, EXT Carry out general visual inspection of fasteners though MLG bracket and lower skin panel.  THRESHOLD: 25000 FC INTERVAL: 5000 FC		
157	K572018-00-09 631	OUTER WING, EXT Carry out general visual inspection of fasteners though MLG bracket and lower skin panel.  THRESHOLD: 25000 FC INTERVAL: 5000 FC		
158	K572032-00-01 531	OUTER WING, INTERNAL Carry out General Visual inspection of main landing gear bracket, side stay bracket and support beam.  NOTE: Can be combined with the task K062111-00-01		
159	K572032-00-01 631	OUTER WING, INTERNAL Carry out General Visual inspection of main landing gear bracket, side stay bracket and support beam.  NOTE: Can be combined with the task K062111-00-01		
160	K712103-00-02 432	ENGINE VIBRATION ISOLATORS Carry out Functional check of top isolators.		
161	K712103-00-02 442	ENGINE VIBRATION ISOLATORS Carry out Functional check of top isolators.		
162	K761100-00-10 100	THRUST CONTROL Functional check of Thrust Reverser Operating Mechanism and the Thrust Reverser Switch on the Thrust Lever Switchbox.		